

Dollies

Wood Dollies

- Constructed from select kiln-dried hardwoods to prevent warping and shrinkage.
- All boards are cut and planed to 7/8" with guaranteed consistent quality.
- Four, 3" polyolefin swivel casters offer 900 lb. capacity. (See caster options for up to 1,400 lb. capacity.)
- Shipped fully assembled.

Hardwood deck with countersunk bolt holes for a smooth working surface

Smooth open deck style features 7/8" thick, 4" wide rails for heavy-duty service



Non-marking, 3" swivel casters with polyolefin wheels have exceptional impact resistance

Zinc-plated rigs and hardware are resistant to corrosion

Solid Dolly

- Three cross battens on 36" and 48" length.
- Smooth, treated deck with countersunk bolts.
- Deck boards run lengthwise.



Model No.	Size			Wt.
	Inches	mm		
RD2416S3P	24 x 16	610 x 406	17 lbs.	
RD2718S3P	27 x 18	686 x 457	21 lbs.	
RD3018S3P	30 x 18	762 x 457	23 lbs.	
RD3624S3P	36 x 24	914 x 610	29 lbs.	
RD4824S3P	48 x 24	1219 x 610	36 lbs.	

Carpet End Dolly

- Padded carpeting protects furniture and appliances.



Model No.	Size			Wt.
	Inches	mm		
RD2416CE3P	24 x 16	610 x 406	14 lbs.	
RD2718CE3P	27 x 18	686 x 457	15 lbs.	
RD3018CE3P	30 x 18	762 x 457	16 lbs.	
RD3624CE3P	36 x 24	914 x 610	17 lbs.	

Flush Dolly

- Full, 4" wide by 1 3/4" thick double length rails.
- Smooth, open deck.



Model No.	Size			Wt.
	Inches	mm		
RD2416F3P	24 x 16	610 x 406	16 lbs.	
RD2718F3P	27 x 18	686 x 457	17 lbs.	
RD3018F3P	30 x 18	762 x 457	19 lbs.	
RD3624F3P	36 x 24	914 x 610	21 lbs.	
RD4824F3P	48 x 24	1219 x 610	26 lbs.	

Rubber Cap Dolly

- Non-skid reinforced 3" wide rubber caps keep slippery loads in place without damage.



Model No.	Size			Wt.
	Inches	mm		
RD2718RC3P	27 x 18	686 x 457	15 lbs.	
RD3018RC3P	30 x 18	762 x 457	16 lbs.	

Regular Dolly

- Strength and reliability at an economy price.
- All rails are 4" wide.



Model No.	Size			Wt.
	Inches	mm		
RD2416R3P	24 x 16	610 x 406	13 lbs.	
RD2718R3P	27 x 18	686 x 457	14 lbs.	
RD3018R3P	30 x 18	762 x 457	15 lbs.	
RD3624R3P	36 x 24	914 x 610	16 lbs.	

All Carpet Solid Dolly

- Strength and reliability at an economy price.
- Fully carpeted* deck prevents damage to cargo.

*Pattern of carpet may vary.



Model No.	Size			Wt.
	Inches	mm		
RD2416AC3P	24 x 16	610 x 406	19 lbs.	
RD3018AC3P	30 x 18	762 x 457	23 lbs.	
RD3624AC3P	36 x 24	914 x 610	32 lbs.	

Dolly Options:



Wheel Locks

3", 4", 5" brake kits installed on 2 swivel casters.



Tow Eye R1495
Tow Handle R2515

Caster Options*


Model No.	Description	Capacity
3P	3" Polyolefin Casters	900 lbs.
4P	4" Polyolefin Casters	1200 lbs.
5P	5" Polyolefin Casters	1400 lbs.
3H	3" Hard Rubber Casters	900 lbs.
4H	4" Hard Rubber Casters	1200 lbs.
3R	3 1/2" Non-Marking Rubber Casters	900 lbs.

Brake kits installed on two swivel casters – optional (non-returnable)

R1130	3" Brake Kits for Hard Rubber Casters
R1151	3" Brake Kits for Polyolefin Casters
R1146	4" Brake Kits
R1156	5" Brake Kits

*See page 47 for full description of casters and wheels.

Deck Heights by Caster Size:




Polyethylene Dollies



1,200 lb. weight capacity – steel reinforced, one-piece deck design.

- High-impact, durable polyethylene construction.
- Easy to clean, non-porous platform will not rot, mildew, or splinter.
- 1,200 lb. weight capacity.
- Quick, easy assembly.
- Colors: Blue or Gray.



Flush Deck

Plate-style 4" polyolefin swivel casters for maximum maneuverability and easy replacement



Padded Deck

Polyethylene Dollies

Model No.	Description	Dimensions		Overall Height		Color
		Inches	mm	Inches	mm	
RMD3018RC4PNA	Padded Deck Dolly	30 x18	762 x 457	8 ³ / ₄	222	Gray
RMD3018RC4PNAB	Padded Deck Dolly	30 x18	762 x 457	8 ³ / ₄	222	Blue
RMD3018F4PNA	Flush Deck Dolly	30 x18	762 x 457	7 ³ / ₄	197	Gray
RMD3018F4PNAB	Flush Deck Dolly	30 x18	762 x 457	7 ³ / ₄	197	Blue

Steel Dollies

- Open structural angle dollies, 1¹/₂" x 1¹/₂" x 3¹/₁₆".
- Durable powder coated finish.
- Solid decks are smooth, 13-gauge steel.
- 1¹/₂" lip turned down for a smooth surface. Order lips up for a contained area.



Solid Deck Lips Down



Open Angle Lips Down



Solid Deck Lips Up



Open Angle Lips Up

Steel Dollies

Lips Down Model No.	Lips Up Model No.	Capacity	Caster Type*	Caster Size		Deck Height	
				Inches	mm	Inches	mm
Solid Dolly							
RD843HR	RU843HR	900 lbs.	Polyolefin	3 x 1 ¹ / ₄	76 x 32	3 ⁷ / ₈	98
RD843SS	RU843SS	1000 lbs.	Semi-Steel	3 x 1 ¹ / ₄	76 x 32	3 ⁷ / ₈	98
RD844HR	RU844HR	1200 lbs.	Polyolefin	4 x 1 ¹ / ₂	102 x 38	5 ¹ / ₈	130
RD844SS	RU844SS	1600 lbs.	Semi-Steel	4 x 1 ¹ / ₂	102 x 38	5 ¹ / ₈	130
Open Angle Structural Dolly							
RD853HR	RU853HR	900 lbs.	Polyolefin	3 x 1 ¹ / ₄	76 x 32	4	102
RD853SS	RU853SS	1000 lbs.	Semi-Steel	3 x 1 ¹ / ₄	76 x 32	4	102
RD854HR	RU854HR	1200 lbs.	Polyolefin	4 x 1 ¹ / ₂	102 x 38	5 ¹ / ₄	133
RD854SS	RU854SS	1600 lbs.	Semi-Steel	4 x 1 ¹ / ₂	102 x 38	5 ¹ / ₄	133

DECK SIZES

16" x 27" 18" x 30"
18" x 24" 24" x 36"
Specify size when ordering.

*See page 47 for full description of casters and wheels.

Wheel Specifications:



3" x 1¹/₄", 4" x 1¹/₂" Polyolefin



3" x 1¹/₄", 4" x 1¹/₂" Semi-Steel



4" x 1¹/₄" Resilex

Aluminum Dollies



- Corrosion resistant, lightweight, and durable.
- 1¹/₂" lip turned down for a smooth surface or lips up for a contained area.
- Deck is bolted together with galvanized fasteners.
- Bolt-on swivel casters.
- Ships completely assembled and ready to use.



Lips Down



Lips Up

Aluminum Dollies

Lips Down Model No.	Capacity	Caster Type*	Caster Size		Deck Height	
			Inches	mm	Inches	mm
Lips Down						
RDADR4	1200 lbs	Resilex	4 x 1-1/4	102 x 32	6-3/4	171
RDADP4	1200 lbs	Polyolefin	4 x 1-1/4	102 x 32	6-3/4	171
Lips Up						
RDAUR4	1200 lbs	Resilex	4 x 1-1/4	102 x 32	8	203
RDAUP4	1200 lbs	Polyolefin	4 x 1-1/4	102 x 32	8	203

DECK SIZES

36" x 24" 30" x 18"
24" x 18"
Specify size when ordering.

*See page 47 for full description of casters and wheels.

Hand Trucks

Medium-Duty

Heavy-Duty

Wheel Specifications:
Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 47 for more caster information.



Semi-Pneumatic
10" x 2.75"



Full Pneumatic
10" x 3.50"



Moldon Rubber
8" x 2"



- Medium-duty hand trucks for day-to-day work.
- Welded-steel construction supports up to 300 lbs.
- 7/8" OD structural pipe frame, 1/8" wall, 13-gauge.
- Standard 7" x 14" steel nose plate.
- Ships completely assembled and ready to use.
- 5/8" diameter axle.
- Two position bracket fits 8" or 10" wheels.
- Heavy flat bar and tube for climbing stairs.
- Optional 10" x 14" or 14" x 14" nose plates available.

*Special-order products are not returnable.



- Heavy-duty hand trucks for all types of loads.
- Welded-steel hand trucks support up to 500 lbs.
- 1" OD structural pipe frame, 13-gauge steel.
- 5/8" diameter axle.
- Standard 8" x 14" steel nose plate.
- Optional 10" x 14" or 14" x 14" noseplate available.*
- Two position bracket fits 8" or 10" wheels.
- Deep-V cross straps available for specialized loads.*

*Special-order products are not returnable.

Handle Styles:



Flow Back (FB)




Dual Grip with Vinyl Grips (DG)



Vertical Single Loop



Dual Loop



Optional 24" folding nose extensions available. Suffix FN to any model no. Not intended for field installation. (Special-order products are not returnable.)

Medium-Duty Hand Trucks

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm	Overall Height Inches	Overall Height mm	Overall Width Inches	Overall Width mm	Ship Wt.
Flow Back								
R3008MR	Moldon Rubber	8	203	45	1143	19 3/4	498	37 lbs.
R3010FP	Full Pneumatic	10	254	45	1143	22	559	35 lbs.
R3010SP	Semi-Pneumatic	10	254	45	1143	20	508	35 lbs.
Dual Grip								
R3208MR	Moldon Rubber	8	254	47	1194	20	508	35 lbs.
R3210FP	Full Pneumatic	10	254	47	1194	20	508	35 lbs.
R3210SP	Semi-Pneumatic	10	254	47	1194	20	508	35 lbs.

Heavy-Duty Hand Trucks

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm	Overall Height Inches	Overall Height mm	Overall Width Inches	Overall Width mm	Ship Wt.
Flow Back								
R4008MR	Moldon Rubber	8	203	45	1143	19 3/4	502	43 lbs.
R4008MR2	Moldon Rubber	8	203	52	1321	19 3/4	502	48 lbs.
R4010FP	Full Pneumatic	10	254	45	1143	22	559	41 lbs.
R4010FP2	Full Pneumatic	10	254	52	1321	22	559	46 lbs.
R4010SP	Semi-Pneumatic	10	254	45	1143	20	508	41 lbs.
R4010SP2	Semi-Pneumatic	10	254	52	1321	22	559	46 lbs.
Vertical Single Loop								
R4108MR	Moldon Rubber	8	203	46	1168	19 3/4	502	43 lbs.
R4108MR2	Moldon Rubber	8	203	53	1346	19 3/4	502	48 lbs.
R4110FP	Full Pneumatic	10	254	46	1168	20	508	41 lbs.
R4110FP2	Full Pneumatic	10	254	53	1346	22	559	46 lbs.
R4110SP	Semi-Pneumatic	10	254	46	1168	20	508	41 lbs.
R4110SP2	Semi-Pneumatic	10	254	53	1346	20	508	46 lbs.
Dual Grip								
R4208MR	Moldon Rubber	8	203	47	1194	20	508	43 lbs.
R4208MR2	Moldon Rubber	8	203	51	1295	20	508	48 lbs.
R4210FP	Full Pneumatic	10	254	47	1194	22	559	41 lbs.
R4210FP2	Full Pneumatic	10	254	51	1295	22	559	46 lbs.
R4210SP	Semi-Pneumatic	10	254	47	1194	20	508	41 lbs.
R4210SP2	Semi-Pneumatic	10	254	51	1295	20	508	46 lbs.
Dual Loop								
R4510SP	Semi-Pneumatic	10	254	46	1168	20	508	41 lbs.
R4510SP2	Semi-Pneumatic	10	254	53	1346	20	508	46 lbs.

Specialty Hand Trucks

Cylinder/Gas Trucks



Single 330 Cu. Ft. Cylinder Truck

- Designed to handle 330 cu. ft. cylinder.
- Two rear casters provide added stability.
- Includes heavy-duty holding chain.
- Color: Yellow.


Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm
RCTD40SP	Semi-Pneumatic	10 x 2 ³ / ₄	254 x 70
Base Plate - 14"W x 6"D (356 x 152mm)		OAH - 45"	1143



Single & Dual Gas Trucks

- Heavy-duty truck designed to handle 330 cu. ft. cylinders.
- Available in single and dual cylinder models.
- Includes heavy-duty holding chain.
- Hard rubber swivel caster.
- Color: Yellow.

Model No.	Description	Wheel Type	Wheel Size Inches	Wheel Size mm
RGTS10FP	Single	Full Pneumatic	10 x 3 ¹ / ₂	254 x 89
RGTD10FP	Dual	Full Pneumatic	10 x 3 ¹ / ₂	254 x 89
RGTS10SP	Single	Semi-Pneumatic	10 x 2 ³ / ₄	254 x 70
RGTD10SP	Dual	Semi-Pneumatic	10 x 2 ³ / ₄	254 x 70
GTS Base Plate - 14"W x 6"D (356 x 152mm)OAH - 45"				1143
GTD Base Plate - 29"W x 6"D (737 x 152mm)OAH - 45"				1143



Dual Cylinder Truck with T-Handle

- Handles cylinders in a medium-duty application.
- Priced economically with its T-handle design.
- Two heavy-duty holding chains and tool tray.
- Color: Yellow.

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm
RCT40LW	Lightweight	8 x 1 ³ / ₄	203 x 44
Base Plate - 17"W x 8"D (432 x 203mm)		OAH - 43"	1092



Single Cylinder Hand Truck

- Perfect for medium to large cylinders.
- Also transports boxes or other bulky items.
- Includes heavy-duty holding chain.
- Color: Yellow.

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm
RCTV40SP	Semi-Pneumatic	10 x 2 ³ / ₄	254 x 70
Base Plate - 14"W x 7"D (356 x 178mm)		OAH - 48"	1219



Dual Cylinder Truck with Dual Handle

- Carries cylinders in a medium-duty application.
- Welded tank holders.
- Two heavy-duty holding chains and tool tray.
- Dual handle with vinyl grips.
- Color: Yellow.

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm
RCT50SP	Semi-Pneumatic	10 x 2 ³ / ₄	254 x 70
Base Plate - 20"W x 9"D (508 x 229mm)		OAH - 45"	1143



Dual Cylinder Truck with Continuous Handle


- Heavy-duty truck accommodates most cylinder tanks.
- Includes heavy-duty holding chain and tool tray.
- Easily carries two 300 cu. ft. tanks.
- Color: Yellow.

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm
RCT30FP	Full Pneumatic	10 x 3 ¹ / ₂	254 x 89
RCT30SP	Semi-Pneumatic	10 x 2 ³ / ₄	254 x 70
Base Plate - 20"W x 11"D (508 x 279mm)		OAH - 39"	991

Drum Handling Equipment

Dual-Purpose Hand Truck

- Dual-function hand truck converts to platform position for oversize loads.
- Welded, 1 $\frac{5}{16}$ " OD tube frame and 1" OD tube handle.
- Up to 600 lbs. capacity in platform mode.
- Large 7" x 14" nose plate.
- Axle accommodates 8" or 10" wheels.
- Color: 4008 Model is Red, 4010 Models are Silver.



Dual-Purpose Hand Truck

Model No.	Wheel Type	Wheel/Caster Size	Overall Height Inches	Overall Height mm	Overall Width Inches	Overall Width mm	Ship Wt.
RDT4008SP	Semi-Pneumatic	8"/3" (203/76)	46	1168	19 $\frac{3}{8}$	498	46 lbs.
RDT4010FP	Full Pneumatic	10"/5" (254/127)	46	1168	22	559	50 lbs.
RDT4010SP	Semi-Pneumatic	10"/5" (254/127)	46	1168	20	508	50 lbs.

Pail Truck

- Multi-purpose hand truck for carting 5-gallon pails.
- Cross straps with supporting arms hold pails in place while in transit.
- Welded, 1" structural pipe frame with $\frac{1}{8}$ " walls.
- Up to 300 lbs. capacity.
- RPT40 holds 4 pails, RPT50 holds 5 pails.



Pail Truck

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm	Overall Height Inches	Overall Height mm	Overall Width Inches	Overall Width mm	Ship Wt.
RPT4010SP	Semi-Pneumatic	10	254	55	1397	18	457	46 lbs.
RPT5010SP	Semi-Pneumatic	10	254	67 $\frac{1}{2}$	1715	18	457	50 lbs.

Spill-less Open Drum Truck

- Easily transports open drums, reduced danger of spillage.
- Handles 55-gallon drums.



Spill-less Open Drum Truck

Model No.	Description	Wheel Type	Wheel Size Inches	Wheel Size mm
R93	Rigid Handle	Moldon	6 x 2	152 x 51
R93H	Hinged Handle	Moldon	6 x 2	152 x 51

Cradle Combo Truck

- A drum truck and cradle in one.
- Handles 30 and 55-gallon drums with ease.
- Extra wheels assist in climbing curbs or loading pallets.
- Adjustable clip keeps drum in place.
- 1 $\frac{5}{16}$ " O.D. tube frame.



Cradle Combo Truck

Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm	Roller Bearing	Load Capacity
R9508MR2	Moldon	8 x 2	203 x 51	$\frac{3}{4}$ " (19mm)	1000 lbs.
		6 x 2	152 x 51	$\frac{3}{4}$ " (19mm)	
R9510MR2	Moldon	10 x 2 $\frac{1}{2}$	254 x 64	1" (25mm)	1200 lbs.
		6 x 2	152 x 51	$\frac{3}{4}$ " (19mm)	

Drum Hand Truck

- Transport 30 and 55-gallon drums with ease.
- Adjustable clip keeps drum in place.
- Kick stand permits upright storage.
- Heavy flat bar and tube assist in climbing curbs.
- 1 $\frac{5}{16}$ " O.D. tube frame.



Drum Hand Truck


Model No.	Wheel Type	Wheel Size Inches	Wheel Size mm	Roller Bearing	Load Capacity
R9508MR	Moldon	8 x 2	203 x 51	$\frac{3}{4}$ " (19mm)	1000 lbs.
R9510MR	Moldon	10 x 2 $\frac{1}{2}$	254 x 64	1" (25mm)	1200 lbs.

Drum Dollies



Drums load easily onto this cross-style dolly.

- For the ease of rolling 30 and 55-gallon drums.



Cross-Style

Model No.	Wheel Type	Load Capacity	Diameter
R9030HR	3" Swivel Polyolefin	900 lbs.	20 ¹ / ₄ ID
R9055HR	3" Swivel Polyolefin	900 lbs.	24 ¹ / ₄ ID
R9030SS	3" Swivel Semi-Steel	1000 lbs.	20 ¹ / ₄ ID
R9055SS	3" Swivel Semi-Steel	1000 lbs.	24 ¹ / ₄ ID
R90555HR	5" Swivel Polyolefin	1500 lbs.	24 ¹ / ₄ ID




Long lasting industrial-duty casters

Ring Dollies

Model No.	Wheel Type	Load Capacity	Diameter
R9230HR	3" Swivel Polyolefin	900 lbs.	19 ¹ / ₂ ID
R9255HR	3" Swivel Polyolefin	900 lbs.	23 ¹ / ₂ ID
R9230SS	3" Swivel Semi-Steel	1000 lbs.	19 ¹ / ₂ ID
R9255SS	3" Swivel Semi-Steel	1000 lbs.	23 ¹ / ₂ ID
R92555HR	5" Swivel Polyolefin	1500 lbs.	23 ¹ / ₄ ID

Drum Racks

- Allows for easy handling and storage of drums.
- Saves storage space.
- Heavy-duty welded steel construction.
- Accessible with fork lift from all sides.
- Racks can be stacked to store additional drums.



Curved feet allow stacking of full racks 5 high

Heavy-duty welded steel

4-way fork entry

Drum Racks

Model No.	Description	Size (H x W x L) Inches	mm	Single Rack Load Capacity
R992	Two-Drum Rack	10 x 45 ¹ / ₂ x 28	254 x 1156 x 711	1600 lbs.
R993	Three-Drum Rack	10 x 74 x 28	254 x 1880 x 711	2400 lbs.

Drum Cradles

- Drum cradles allow easy transport and draining of 55-gallon drums.
- Single and dual handles retract for storage.
- Cradles support loads to 600 lbs.
- Some assembly required.
- Model R91HW2 has swivel casters to allow easier turning in limited space. Two handles provide greater stability and operator control.



Drain 55-gallon drums easily with drum cradles.



Handle pulls out to fit drum

3" wheels

Drum Cradles

Model No.	Description
R91HW	With 1 Handle and 4 Rigid Wheels
R91HW2	With 2 Handles and 2 Swivel Casters, 2 Rigid Wheels